

APRIL 9, 2009

TK-L368 WHITE EMULSION LINSEED OIL

Product Information Statement for LEED® New Construction (NC) Version 2.2 Credit Documentation

TK-L368 WHITE EMULSION LINSEED OIL is a white linseed oil curing and sealing, and protective coating for fresh concrete surfaces. When applied to freshly placed concrete, TK-L368 WHITE EMULSION LINSEED OIL controls moisture loss, aids in the hydration process and protects the concrete from deicing chemicals and freeze thaw cycles. TK-L368 meets the following standards: ASTM C-309, Type 2, Class A; AASHTO M-148.

TK Products certifies the following information for TK-L368 WHITE EMULSION LINSEED OIL:

Manufacturing Location

TK-L368 WHITE EMULSION LINSEED OIL is manufactured in Minnetonka, MN.

Recycled Content

TK-L368 WHITE EMULSION LINSEED OIL is manufactured with 6% of post-consumer material recycled content from the normal recovery of raw material in the manufacturing process.

VOC Content

TK Products certifies that the VOC (volatile organic content) of TK-L368 WHITE EMULSION LINSEED OIL is 4.6g/l.

Based upon the above information, TK Products certifies that TK-L368 WHITE EMULSION LINSEED OIL may contribute to the following LEED NC v2.2 Credits:

- MR Credits 4.1 & 4.2: Recycled Content: 10% & 20% (post-consumer + ½ pre-consumer)
- MR Credits 5.1 & 5.2: Regional Materials: 10% & 20% Extracted, Processed, & Manufactured Regionally
- EQ Credit 4.2: Low – Emitting Material: Paints and Coatings (referencing the South Coast Air Quality Management District (SCAQMD) Rule 1113, in effect on January 1, 2004)

Respectfully,



LEED Administrator
TK Products
Tel: 800-441-2129

LEED is a trade mark of the US Green Building Council