

JANUARY 19, 2010

TRI-KOTE 26 WHITE

Product Information Statement for LEED® New Construction (NC) Version 2.2 Credit Documentation

TRI-KOTE 26 WHITE is a white pigmented chlorinated rubber epoxy concrete treatment for curing, sealing, and hardening freshly placed concrete such as curbs, gutters, sidewalks, bridge decks, median barriers, and airports, and sealing/dust-proofing existing concrete. The white pigmentation reflects the sun's rays to give fresh concrete a longer cure. TRI-KOTE 26 WHITE meets or exceeds the following specifications: ASTM C-1315-95, Type 2, Class A, B, & C, TT-C-0800A, Type II, Class II, ASTM C-309, Type II, Class A & B, AASHTO Des.M-148, Type II, State DOT's, USDA.

TK Products certifies the following information for TRI-KOTE 26 WHITE:

Manufacturing Location

TRI-KOTE 26 WHITE is manufactured in Minnetonka, MN.

Recycled Content

TRI-KOTE 26 WHITE is manufactured with 6% of pre-consumer material recycled content from the normal recovery of raw material in the manufacturing process.

VOC Content

TK Products certifies that the VOC (volatile organic content) of TRI-KOTE 26 WHITE is 692g/l.

Based upon the above information, TK Products certifies that TRI-KOTE 26 WHITE may contribute to the following LEED NC v2.2 Credits:

- MR Credits 4.1 & 4.2: Recycled Content: 10% & 20% (post-consumer + ½ pre-consumer)
- MR Credits 5.1 & 5.2: Regional Materials: 10% & 20% Extracted, Processed, & Manufactured

Respectfully,



LEED Administrator
TK Products
Tel: 800-441-2129

LEED is a trade mark of the US Green Building Council